

EC-CERTIFICATE OF CONFORMITY

0432 –CPD – 0029

In compliance with the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Directive - CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it has been stated that the construction product

Doorcloser with standard arm ECO

controlled door closing devices as detailed on appendix 1,

placed on the market by

ECO Schulte GmbH & Co. KG
Iserlohner Landstraße 89
D- 58706 Menden

and produced in the factory

Herstellwerke DO 2.32 and DO 2.30

is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body no. – 0432 MPA NRW - has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of conformity and the performances described in Annex ZA of the standard

DIN EN 1154: 2003-04 (EN 1154:1996 + A1:2002 (D))

were applied and that the product fulfils all the prescribed requirements.

This certificate was first issued on 24.04.2004 and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

Dortmund, 03.02.2012



Dipl.-Ing. H. Jansen
Head of the certification body

THIS CERTIFICATE COMPRISES 1 PAGE AND 3 APPENDICES

This document was originally written in German. In case of doubt the German version shall prevail

MATERIALPRÜFUNGSAMT NORDRHEIN-WESTFALEN

Door closer with controlled closing sequence according to DIN EN 1154

List of certified products

Type : TS 50
Description : Hydraulic door closer with controlled closing sequence and back-check.
Arm : Standard arm
Mounting type : Standard mounting (mounting on door leaf on pull side) according to producer information
Size : 1 - 5
Classification : 4 8 5 1 1 1 3
Remark : Optional with or without mounting plate. Production plant : Do.2.32

Type: TS 50
Description: Hydraulic door closer with controlled closing sequence and back-check.
Arm: Standard arm
Mounting type: Head mounting on push side, according to producer information
Size: 1 - 5
Classification: 4 8 5 1 1 1 3
Remark: Optional with or without mounting plate. Production plant : Do.2.32

Type : TS 20
Description: Hydraulic door closer with controlled closing sequence and back-check.
Arm : Standard arm
Mounting type : Standard mounting (mounting on door leaf on pull side) according to producer information
Size : 2 / 3 / 5
Classification : 4 8 2/3/5 1 1 1 3
Remark: Size adjustment via change of position of door closer. Optional with or without mounting plate. Production plant : Do.2.32

Type : TS 20
Description: Hydraulic door closer with controlled closing sequence and back-check.
Arm : Standard arm
Mounting type : Head mounting on push side, according to producer information
Size : 2 / 3 / 5
Classification : 4 8 2/3/5 1 1 1 3
Remark: Size adjustment via change of position of door closer. Optional with or without mounting plate. Production plant : Do.2.32

Type : TS 40

MATERIALPRÜFUNGSAMT NORDRHEIN-WESTFALEN

Description: Hydraulic door closer (standard arm) with controlled closing sequence
Arm : Standard arm
Mounting type : Head mounting on push side
Size : 2 - 5
Classification : 3 8 5 2 1 1 4
Remark: Adjustable closing force
 Production plant: DO 2.30

Type : TS 40
Description: Hydraulic door closer (standard arm) with controlled closing sequence
Arm : Standard arm
Mounting type : Mounting on door leaf (standard mounting) on pull side
Size : 2 - 5
Classification : 4 8 5 2 1 1 4
Remark: Adjustable closing force
 Production plant: DO 2.30

Type : TS 11
Description: Hydraulic door closer (standard arm) with controlled closing sequence
Arm : Standard arm
Mounting type : Mounting on door leaf (standard mounting) on pull side
Size : 2 - 5
Classification : 4 8 5 2 1 1 4
Remark: Adjustment of closing force via change of position of door closer.
 Production plant DO 2.30

Type : TS 11
Description: Hydraulic door closer (standard arm) with controlled closing sequence
Arm : Standard arm
Mounting type : Head mounting on push side
Size : 2 - 5
Classification : 3 8 5 2 1 1 4
Remark: Adjustment of closing force via change of position of door closer.
 Production plant DO 2.30

List of alternative brand names and type descriptions

Brand name	Company	Type	Type	Type	Type
ECO	ECO Schulte GmbH & Co. KG Iserlohner Landstraße 117 58706 Menden	TS 11	TS 20	TS 40	TS 50
WÜRTH	Adolf Würth GmbH & Co. KG Reinhold-Würth-Str. 12 – 17 4653 Künzelsau-Gaisbach	STS 330	STS340	STS 380	STS 370

The CE labelling according to ZA.3 of DIN EN 1154:2004-04 must only be carried out completely and solely with the data of ECO Schulte GmbH & Co. KG.

List of alternative brand names and type descriptions

Brand name	Company	Type	Type	Type	Type
ECO	ECO Schulte GmbH & Co. KG Iserlohner Landstraße 117 58706 Menden	TS 11	TS 20	TS 40	TS 50
Levasseur	Levasseur Systèmes S.A. 7 rue des Coutures, Torcy F-77201 Marne-La-Vallée	HL-50		-	-

The CE labelling according to ZA.3 of DIN EN 1154:2004-04 must only be carried out completely and solely with the data of ECO Schulte GmbH & Co. KG.

List of alternative brand names and type descriptions

Brand name	Company	Type	Type
ECO	ECO Schulte GmbH & Co. KG Iserlohner Landstraße 117 58706 Menden	TS 20	TS 50
IMPAR	IMPAR Quincaillerie de Batiment 25, rue de la Roberdiere FR-35013 Rennes cedex	FP 200 NW	FP 500 NW

The CE labelling according to ZA.3 of DIN EN 1154:2004-04 must only be carried out completely and solely with the data of ECO Schulte GmbH & Co. KG.