






ECO D-111 Security handle sets

Product information




■ SYSTEM TECHNOLOGY FOR THE DOOR



Product characteristics

Tested acc. to	EN 1906
With 9 mm spindle acc. to DIN 18273 fire protection tested	■
Lever form for escape doors and emergency exits	EN 179 
Tested acc. to	DIN 18 257
Fixable bearing	■
Steel base in inner and outer plate	■
Concealed through-screw technology	■
Inside with lever	■
■ Yes - No □ Option	



Steel door



Wooden door

Material:



Aluminium

PRODUCT FAMILY D-100

Standard handle



D-110



D-120



D-190

Handle on plate




D-110



D-110

Oval rose handle



D-115



D-116

Security handle



D-110



D-111




D-116

Window handle



F-110

D-111 Long plate security handle set ES 0



D-111 Long plate security handle set ES 0 with OGL


Anti-burglary protection class ES 0 / class 1.

Available with knob K-130 and grip plate G-160.


Utilization category: class 3

Outside: mounting height 13 mm on request. PZ hole with nylon insert.

FS-92 on request



OGL – LONG PLATE SECURITY HANDLE SET



	Ø	Distance	□	Kit sets PZ			Kit sets ZA		
									
	20 mm	72 mm	8 mm	715311.30	715341.30	715321.30	715312.30	715342.30	715322.30
	20 mm	88 mm	8,5 mm	715911.30	715941.30	715921.30	715912.30	715942.30	715922.30
	20 mm	92 mm	10 mm				745512.30	745542.30	745522.30

Finish: Aluminium anodized, further colours on request.

ECO Schulte GmbH & Co. KG
Iserlohner Landstraße 89
D-58706 Menden

Telefon: +49 2373/92 76-0
Fax: +49 2373/92 76-40

info@eco-schulte.de
www.eco-schulte.de

© ECO Schulte GmbH & Co. KG - Änderungen vorbehalten
© ECO Schulte GmbH & Co. KG - Subject to change