






ECO D-110 Security handle sets

Product information




■ SYSTEM TECHNOLOGY FOR THE DOOR



Product characteristics

Tested acc. to	EN 1906
With 9 mm spindle acc. to DIN 18273 fire protection tested	F
Lever form for escape doors and emergency exits	EN 179 
Tested acc. to	DIN 18 257
Fixable bearing	■
Steel base in inner and outer plate	■
Concealed through-screw technology	■
Inside with lever	■

■ Yes - No □ Option



Steel door



Wooden door

Material:



Stainless Steel



Aluminium

PRODUCT FAMILY D-100

Standard handle



D-110



D-120



D-190

Handle on plate




D-110



D-110

Oval rose handle



D-115



D-116

Security handle



D-110



D-111



D-116

Window handle



F-110

D-110 Long plate security handle set ES 3



D-110 Long plate security handle set ES 3 with OGL

Fixed in maintenance-free bearing.


Anti-burglary protection class ES 3 / class 4.

Available with knob K-130 and grip plates G-160 and G-180.


Utilization category: class 4

Outside: mounting height 15 mm

FS-92 on request



OGL – LONG PLATE SECURITY HANDLE SET



EN 1906


EN 179

F



Kit sets ZA							
	Ø	Distance	∇				
	21 mm	72 mm	8 mm	713312.46	713342.46	713322.46	713362.46
	21 mm	72 mm	9 mm	763312.46	763342.46	763322.46	763362.46
	21 mm	92 mm	10 mm	743512.46	743542.46	743522.46	743562.46

Finish: Stainless steel satin, further colours on request



EN 1906

EN 179

F



Kit sets ZA							
	Ø	Distance	∇				
	22 mm	72 mm	8 mm	713312.30	713342.30	713322.30	713362.30
	22 mm	72 mm	9 mm	763312.30	763342.30	763322.30	763362.30
	22 mm	92 mm	10 mm	743512.30	743542.30	743522.30	743562.30

Finish: Aluminium anodized, further colours on request.

D-110 Long plate security handle set ES 2

**D-110 Long plate security handle set ES 2 with OGL**

Fixed in maintenance-free bearing.


Anti-burglary protection class ES 2 / class 3.

Available with knob K-130 and grip plates G-160 and G-170.


Utilization category: class 4

Outside: mounting height 15 mm (11 mm on request)

FS-92 on request



OGL – LONG PLATE SECURITY HANDLE SET



EN 1906


EN 179

F



				Kit sets PZ				Kit sets ZA			
	Ø	Distance	∇								
S	21 mm	72 mm	8 mm	712311.46	712341.46	712321.46	712361.46	712312.46	712342.46	712322.46	712362.46
F	21 mm	72 mm	9 mm	762311.46	762341.46	762321.46	762361.46	762312.46	762342.46	762322.46	762362.46
	21 mm	92 mm	10 mm	742511.46	742541.46	742521.46	742561.46	742512.46	742542.46	742522.46	742562.46

Finish: Stainless steel satin, further colours on request



EN 1906

EN 179

F



				Kit sets PZ				Kit sets ZA			
	Ø	Distance	∇								
S	22 mm	72 mm	8 mm	712311.30	712341.30	712321.30	712361.30	712312.30	712342.30	712322.30	712362.30
F	22 mm	72 mm	9 mm	762311.30	762341.30	762321.30	762361.30	762312.30	762342.30	762322.30	762362.30
	22 mm	92 mm	10 mm	742511.30	742541.30	742521.30	742561.30	742512.30	742542.30	742522.30	742562.30

Finish: Aluminium anodized, further colours on request.


D-110 Long plate security handle set ES 2




D-110 Long plate security handle set ES 2 with OGL

Fixed in maintenance-free bearing.
Anti-burglary protection class ES 2 / class 3.
Available with knob K-130 and grip plate G-190.

Utilization category: class 4
Outside: mounting height 15 mm (11 mm on request)
FS-92 on request



OGL – LONG PLATE SECURITY HANDLE SET



				Kit sets PZ		Kit sets ZA	
	Ø	Distance	∇				
	22 mm	72 mm	8 mm	718311.30	718341.30	718312.30	718342.30
	22 mm	72 mm	9 mm	768311.30	768341.30	768312.30	768342.30
	22 mm	92 mm	10 mm	748511.30	748541.30	748512.30	748542.30

Finish: Aluminium anodized, further colours on request.

D-110 Long plate security handle set ES 1

**D-110 Long plate security handle set ES 1 with OGL**

Fixed in maintenance-free bearing.


Anti-burglary protection class ES 1 / class 2.

Available with knob K-130 and grip plates G-160 and G-170.

Utilization category: class 4

Outside: mounting height 15 mm (11 mm on request)

FS-92 on request

WSG K-130
FS-WSG

PZ

ZA


WSG G-170
FS-WSG PZ

PZ

WSG G-160
FS-WSG PZ

PZ

OGL – LONG PLATE SECURITY HANDLE SET



EN 1906


EN 179

F



				Kit sets PZ				Kit sets ZA			
	Ø	Distance	∇								
S	21 mm	72 mm	8 mm	711311.46	711341.46	711321.46	711371.46	711312.46	711342.46	711322.46	711372.46
F	21 mm	72 mm	9 mm	761311.46	761341.46	761321.46	761371.46	761312.46	761342.46	761322.46	761372.46
	21 mm	92 mm	10 mm	741511.46	741541.46	741521.46	741571.46	741512.46	741542.46	741522.46	741572.46

Finish: Stainless steel satin, further colours on request



EN 1906

EN 179

F



				Kit sets PZ				Kit sets ZA			
	Ø	Distance	∇								
S	22 mm	72 mm	8 mm	711311.30	711341.30	711321.30	711371.30	711312.30	711342.30	711322.30	711372.30
F	22 mm	72 mm	9 mm	761311.30	761341.30	761321.30	761371.30	761312.30	761342.30	761322.30	761372.30
	22 mm	92 mm	10 mm	741511.30	741541.30	741521.30	741571.30	741512.30	741542.30	741522.30	741572.30

Finish: Aluminium anodized, further colours on request.

The execution ZA is designed for cylinder projections of 11 – 14 mm.


For door thickness 38 – 45 mm. Fire-proof lever sets for door thickness 40 – 65 mm. Please advise door thickness when ordering.

D-110 Long plate security handle set ES 1




D-110 Long plate security handle set ES 1 with OGL

Fixed in maintenance-free bearing.
Anti-burglary protection class ES 1 / class 2.
Available with knob K-130 and grip plate G-190.
Utilization category: class 4
Outside: mounting height 15 mm (11 mm on request)
FS-92 on request



OGL – LONG PLATE SECURITY HANDLE SET



EN 1906

EN 179

F



	Ø	Distance	□	Kit sets PZ		Kit sets ZA	
							
	22 mm	72 mm	8 mm	717311.30	717341.30	717312.30	717342.30
	22 mm	72 mm	9 mm	767311.30	767341.30	767312.30	767342.30
	22 mm	92 mm	10 mm	747511.30	747541.30	747512.30	747542.30

Finish: Aluminium anodized, further colours on request.

D-110 Long plate security handle set ES 0

**D-110 Long plate security handle set ES 0 with OGL**


Anti-burglary protection class ES 0 / class 1.

Available with knob K-130 and grip plate G-160.


Utilization category: class 3

Outside: mounting height 13 mm on request.

FS-92 on request



OGL – LONG PLATE SECURITY HANDLE SET



	Ø	Distance	▧	Kit sets PZ			Kit sets ZA		
									
	21 mm	72 mm	8 mm	715311.46	715341.46	715321.46	715312.46	715342.46	715322.46
	21 mm	92 mm	10 mm				745512.46	745542.46	745522.46

Finish: Stainless steel satin, further colours on request


D-110 Long plate security handle set ES 0




D-110 Long plate security handle set ES 0 with OGL

Anti-burglary protection class ES 0 / class 1.
Available with knob K-130 and grip plate G-190.

Utilization category: class 3
Outside: mounting height 13 mm
FS-92 on request



OGL – LONG PLATE SECURITY HANDLE SET



				Kit sets PZ		Kit sets ZA	
	Ø	Distance	∇				
	21 mm	72 mm	8 mm	719311.46	719341.46	719312.46	719342.46
	21 mm	88 mm	8,5 mm	719911.46	719941.46	719912.46	719942.46
	21 mm	92 mm	10 mm			749512.46	749542.46

Finish: Stainless steel satin, further colours on request

D-110 Short plate security handle set ES 1

**D-110 Short plate security handle set ES 1 with OGL**

Fixed in maintenance-free bearing.


Anti-burglary protection class ES 1 / class 2.

Available with knob K-130.


Utilization category: class 4

Outside: mounting height 15 mm (11 mm on request)

FS-92 on request



OGL – SHORT PLATE SECURITY HANDLE SET



EN 1906


EN 179

F



				Kit sets PZ		Kit sets ZA	
	Ø	Distance	▧				
S	21 mm	72 mm	8 mm	714311.46	714341.46	714312.46	714342.46
F	21 mm	72 mm	9 mm	764311.46	764341.46	764312.46	764342.46

Finish: Stainless steel satin, further colours on request



EN 1906

EN 179

F



				Kit sets PZ		Kit sets ZA	
	Ø	Distance	▧				
S	22 mm	72 mm	8 mm	714311.30	714341.30	714312.30	714342.30
F	22 mm	72 mm	9 mm	764311.30	764341.30	764312.30	764342.30

Finish: Aluminium anodized, further colours on request.

The execution ZA is designed for cylinder projections of 11 – 14 mm.

For door thickness 38 – 45 mm. Fire-proof lever sets for door thickness 40 – 65 mm. Please advise door thickness when ordering.

ECO Schulte GmbH & Co. KG
Iserlohner Landstraße 89
D-58706 Menden

Telefon: +49 2373/92 76-0
Fax: +49 2373/92 76-40

info@eco-schulte.de
www.eco-schulte.de

© ECO Schulte GmbH & Co. KG - Änderungen vorbehalten
© ECO Schulte GmbH & Co. KG - Subject to change