




ECO Adjustable frame box OBX-3011-3D

Product information



■ SYSTEM TECHNOLOGY FOR THE DOOR



OBX-3011-3D



Description

ECO-Adjustable frame box OBX-3011-3D

- Adjustable frame box for project hinges OBX in sizes 120 mm and 160 mm
- On steel frames with rebated and unrebated doors
- Adjustable in three dimensions
 - + / - 3 mm Side
 - + / - 3 mm Height
 - + / - 3 mm Pressure
- Surface: Steel zinc plated

Adjustable frame box For steel frames OBX-3011-3D	Material	Article number
OBX-3011-3D ¹	Steel zinc plated	459311.43
OBX-3012-3D ²	Steel zinc plated	459312.43


¹ With welding points

² Without welding points


Advantages adjustable frame box

- Nylon-guided adjusting spindle supplies additional stability
- Nylon-guided push plate enables easy mounting.
The insertion of the OBX hinge is simplified enormously.
- Adjustable in three dimensions
The exact adjustment of the door is simplified.

Dimension drawing



Dimension drawing



ECO Schulte GmbH & Co. KG
Iserlohner Landstraße 89
D-58706 Menden

Telefon: +49 2373/92 76 - 0
Fax: +49 2373/92 76 - 40

info@eco-schulte.de
www.eco-schulte.de

© ECO Schulte GmbH & Co. KG - Änderungen vorbehalten
© ECO Schulte GmbH & Co. KG - Subject to change